

MUNICIPAL CORPORATION OF DELHI
OFFICE OF DY. HEALTH OFFICER
SOUTH ZONE GREEN PARK, NEW DELHI-110016
dhosouthzone@gmail.com

No.DHO/SZ/2023/275

Date 11/14/2023

SCHOOL HEALTH CERTIFICATE

Name of the school: BIRLA VIDHYA NIKETAN SCHOOL

Address of School: SEC-4 PUSHP VIHAR NEW DELHI-17

No. of Shifts: One Timing: Morning

No. of Students: Boys: 2017, Girls: 1705, Total : 3722.

No. of Staff (Teachers): Female: 123, Male: 15, Total : 138.

Details of accommodations present in school-

That the accommodation provided for the class rooms as calculated

1. Floor space in classroom is sufficient - Sufficient
2. The classrooms are well lighted - Well lighted
3. The classrooms are well ventilated - Well ventilated
4. The classrooms are kept neat and clean - Yes
5. The classrooms/Building requires/do not required whitewash etc. whitewash
6. The drinking water is wholesome/not wholesome- Drinking water is wholesome.
7. The washroom is sanitary/insanitary - Sanitary


No- of Toilets for Students

1. One latrine-cum-urinal is required for 25 female students are sufficient.
2. One for 40 male students is required is sufficient.
3. Separate toilet arrangement for staff present:-Yes/No - Yes
4. The overall facilities: - Good/adequate/inadequate: - Good

If Building department or any other govt. agency takes actions against u/a construction or any dispute, then the health certificate will be stand cancelled/revoked without any further intimation in this regard.

(Remarks Certificate is valid for one year)


NIRAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017


Dy. Health Officer
South Zone
Dr. Deepak Mittal
Dy. Health Officer/SZ

B no/1978/15/4/23



pm.

15/4

Date : 14-04-2023

To,

The Principal

Birla Vidya Niketan

Saket, Delhi

Respected Ma'am/Sir,

The test reports for the Water/Food samples collected from the campus of Birla Vidya Niketan Saket, Delhi are enclosed with this letter. The table below contains the details of the samples collected and the summary of the test results.

S.No.	Item	Place	BCMS Test Slip No	Sample Collected Date	Result
1	Drinking Water	Senior Block	SYS0793	29-03-2023	Sample OK
2	Drinking Water	Junior Block	SYS0794	29-03-2023	Sample OK
3	Veg Pulao	Canteen	SYS0795	29-03-2023	Sample OK

Thanking You.

Authorised Signatory,

Blue Circle Medi Services Pvt. Ltd

Encl. 1- The test report scan copy from test lab.

MINAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017

Blue Circle Medi Services Pvt. Ltd.

J-32, Sarita vihar, New Delhi-110076, Ph: 011-41402320, E-mail: info@bluecircle.in





FOOD SERVICES
TEST REPORT



CLIENT/ISSUED TO	ANALYSIS REPORT NO.	IFS-230329051
Blue Circle Medi Services Pvt Ltd.	REPORT ISSUE DATE:	07/04/2023
J-33, Sarita Vihar	YOUR REF:	TRF
New Delhi-76	DATED:	29/03/2023
	ULR NO:	TC643423000006931F

PRODUCT GROUP:	Water
-----------------------	-------

DETAILS PROVIDED BY CUSTOMER:

NAME OF THE PRODUCT	Drinking Water
SAMPLE DETAILS	Sample Code: : SYS0793 Sampling Point: Senior Block
TEST REQUIRED	Chemical and Biological Test
ANY OTHER INFORMATION	N/A

LAB INFORMATION:

SAMPLE REGISTRATION NUMBER	IFS-230329051		
SAMPLE REGISTRATION DATE	29/03/2023		
ANALYSIS STARTING DATE	29/03/2023	ANALYSIS COMPLETION DATE	05/04/2023
SAMPLE QUANTITY RECEIVED	3 ltr in glass bottle		
SAMPLING PROTOCOL/ METHOD	IFSG/SOP/C/QU/025	SAMPLE CONDITION	Good
SAMPLING DATE & TIME	29/03/2023 , 12:30 to 13:10		
SAMPLING LOCATION	Birla Vidya Niketan school Saket New Delhi		
SAMPLING DONE BY	Sample drawn by Intertek (Mr. AJAYI)	REPORTING CODE	AC

OTHER INFORMATION:	N/A
SAMPLE TESTED AS RECEIVED	

Intertek India Pvt. Ltd., Register in India N. CIN No.: U74220DL1997PTC202243
 Lab address: Plot No: 68 & 69, Udyog Vihar, Phase 1, Gurgaon -122016, Haryana, India
 Tel: +91-124-484 0600, email: food.gurgaon2@intertek.com
 Intertek.com/India/
 Format. No. IFSG/RE/QU/005



(Signature)
MINAKSHI KUSHWAHA
 Principal
 Birla Vidya Niketan
 Pushp Vihar - IV
 New Delhi-110017



ANALYTICAL RESULTS

Sr. No	Test Parameter	Unit of Measurement	Result	Specification IS:10500-2012	Limit of Quantification	Method of Testing
Chemical Parameters						
1.	Colour	Hazen	<1.0	Max 5	1	IS:3025 (P-4)
2.	Odour	-	Agreeable	Agreeable	-	IS:3025 (P-5)
3.	Taste	-	Agreeable	Agreeable	-	IS:3025 (P-8)
4.	Turbidity	NTU	<1.0	Max 1.0	0.1	IS:3025 (P-10)
5.	Total Dissolved solids	mg/l	60.0	Max 500	1.0	IS:3025 (P-16)
6.	pH	-	7.59	6.5- 8.5	2.0	IS:3025 (P-11)
7.	Total Hardness (as CaCO ₃)	mg/l	52.0	Max 200	0.5	IS:3025 (P-21)
8.	Nitrate (as NO ₃)	mg/l	BLQ	Max 45.0	0.1	IS:3025(P-34)/ APHA 23rd Edn

Below limit of Quantification (BLQ)

Note: The above results pertain only to the sample tested and applicable parameter.

MINAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017

(Authorized Signatory)
Sandeep Dalal
Deputy Section Incharge





ANALYTICAL RESULTS

Sr. No	Test Parameter	Unit of Measurement	Result	Requirements IS: 10500:2012	Limit of Quantification	Method of testing
	Biological Parameters					
1.	<i>Escherichia coli</i>	Per 100ml	Absent	Absent	Absent	IS: 15185:2016
2.	Coliform	Per 100ml	Absent	Absent	Absent	IS: 15185:2016
3.	Standard plate count*	cfu/ml	<1	-	≥1.0	IS: 1622:1981 (Reaffirmed 2009)

* Not in specification of IS: 10500:2012

Remarks1: - The submitted sample complies to 'IS 10500:2012 requirements' wherever mentioned with respect to the above parameters only.

Note: The above results pertain only to the sample tested and applicable parameter

*****END OF TEST REPORT*****


(Authorized Signatory)
Sachin Tomar
Deputy Section Incharge

Intertek India Pvt. Ltd., Register in India N. CIN No.: U74220DL1997PTC202243
Lab address: Plot No: 68 & 69, Udyog Vihar, Phase 1, Gurgaon -122016, Haryana, India
Tel: +91-124-484 0600, email: food.gurgaon2@intertek.com
intertek.com/India/

MINAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017



FOOD SERVICES TEST REPORT

CLIENT/ISSUED TO	ANALYSIS REPORT NO.	IFS-230329052
Blue Circle Medi Services Pvt Ltd.	REPORT ISSUE DATE:	07/04/2023
J-33, Sarita Vihar	YOUR REF:	TRF
New Delhi-76	DATED:	29/03/2023
	ULR NO:	TC643423000006932F

PRODUCT GROUP:	Water
----------------	-------

DETAILS PROVIDED BY CUSTOMER:	
NAME OF THE PRODUCT	Drinking Water
SAMPLE DETAILS	Sample Code: : SYS0794 Sampling Point: Junior Block
TEST REQUIRED	Chemical and Biological Test
ANY OTHER INFORMATION	N/A

LAB INFORMATION:			
SAMPLE REGISTRATION NUMBER	IFS-230329052		
SAMPLE REGISTRATION DATE	29/03/2023		
ANALYSIS STARTING DATE	29/03/2023	ANALYSIS COMPLETION DATE	05/04/2023
SAMPLE QUANTITY RECEIVED	3 ltr in glass bottle		
SAMPLING PROTOCOL/ METHOD	IFSG/SOP/C/QU/025	SAMPLE CONDITION	Good
SAMPLING DATE & TIME	29/03/2023 , 12:30 to 13:10		
SAMPLING LOCATION	Birla Vidya Niketan school Saket New Delhi		
SAMPLING DONE BY	Sample drawn by Intertek (Mr. Ajay)	REPORTING CODE	AC
OTHER INFORMATION:	N/A		
SAMPLE TESTED AS RECEIVED			

Intertek India Pvt. Ltd., Register in India N. CIN No.: U74220DL1997PTC202243
 Lab address: Plot No: 68 & 69, Udyog Vihar, Phase 1, Gurgaon -122016, Haryana, India
 Tel: +91-124-484 0600, email: food.gurgaon2@intertek.com
 Intertek.com/India/
 Format. No. IFSG/RE/QU/005

[Signature]

MINAKSHI KUSHWAHA
 Principal
 Birla Vidya Niketan
 Pushp Vihar - IV
 New Delhi-110017





ANALYTICAL RESULTS

Sr. No	Test Parameter	Unit of Measurement	Result	Specification IS:10500-2012	Limit of Quantification	Method of Testing
Chemical Parameters						
1.	Colour	Hazen	<1.0	Max 5	1	IS:3025 (P-4)
2.	Odour	-	Agreeable	Agreeable	-	IS:3025 (P-5)
3.	Taste	-	Agreeable	Agreeable	-	IS:3025 (P-8)
4.	Turbidity	NTU	<1.0	Max 1.0	0.1	IS:3025 (P-10)
5.	Total Dissolved solids	mg/l	64.0	Max 500	1.0	IS:3025 (P-16)
6.	pH	-	7.40	6.5- 8.5	2.0	IS:3025 (P-11)
7.	Total Hardness (as CaCO ₃)	mg/l	54.0	Max 200	0.5	IS:3025 (P-21)
8.	Nitrate (as NO ₃)	mg/l	BLQ	Max 45.0	0.1	IS:3025(P-34)/ APHA 23rd Edn

Below limit of Quantification (BLQ)

Note: The above results pertain only to the sample tested and applicable parameter.

Sandeep

(Authorized Signatory)
Sandeep Dalal
Deputy Section Incharge

Intertek India Pvt. Ltd., Register in India N. CIN No.: U74220DL1997PTC202243
Lab address: Plot No: 68 & 69, Udyog Vihar, Phase 1, Gurgaon -122016, Haryana, India
Tel: +91-124-484 0600, email: food.gurgaon2@intertek.com
intertek.com/India/
Format. No. IFSG/RE/QU/005

Page 2 of 3

[Signature]
DIPAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017





ANALYTICAL RESULTS


Sr. No	Test Parameter	Unit of Measurement	Result	Requirements IS: 10500:2012	Limit of Quantification	Method of testing
	Biological Parameters					
1.	<i>Escherichia coli</i>	Per 100ml	Absent	Absent	Absent	IS: 15185:2016
2.	Coliform	Per 100ml	Absent	Absent	Absent	IS: 15185:2016
3.	Standard plate count*	cfu/ml	<1	-	≥1.0	IS: 1622:1981 (Reaffirmed 2009)

* Not in specification of IS: 10500:2012

Remarks1: - The submitted sample complies to 'IS 10500:2012 requirements' wherever mentioned with respect to the above parameters only.

Note: The above results pertain only to the sample tested and applicable parameter

*****END OF TEST REPORT*****


MINAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017


(Authorized Signatory)
Sachin Tomar
Deputy Section Incharge

Intertek India Pvt. Ltd., Register in India N. CIN No.: U74220DL1997PTC202243
Lab address: Plot No: 68 & 69, Udyog Vihar, Phase 1, Gurgaon -122016, Haryana, India
Tel: +91-124-484 0600, email: food.gurgaon2@intertek.com
intertek.com/india/





FOOD SERVICES TEST REPORT

CLIENT/ISSUED TO	ANALYSIS REPORT NO.	IFS-230329053
Blue Circle Medi Services Pvt Ltd.	REPORT ISSUE DATE:	05/04/2023
J-33, Sarita Vihar	YOUR REF:	TRF
New Delhi-76	DATED:	29/03/2023
	ULR NO:	TC643423000006933F

PRODUCT GROUP:	Food & Agriculture Product
----------------	----------------------------

DETAILS PROVIDED BY CUSTOMER:	
NAME OF THE PRODUCT	Veg Pullow
SAMPLE DETAILS	Sample Code: SYS0795 Location: Canteen
TEST REQUIRED	Biological Test
ANY OTHER INFORMATION	N/A

LAB INFORMATION:			
SAMPLE REGISTRATION NUMBER	IFS-230329053		
SAMPLE REGISTRATION DATE	29/03/2023	ANALYSIS COMPLETION DATE	03/04/2023
ANALYSIS STARTING DATE	29/03/2023		
SAMPLE QUANTITY RECEIVED	400gm in poly pack	SAMPLE CONDITION	1.7degree C
SAMPLING PROTOCOL/ METHOD	IFSG/SOP/C/QU/025		
SAMPLING DATE & TIME	29/03/2023, 12:30 to 13:10		
SAMPLING LOCATION	Birla Vidya Niketan school Saket New Delhi		
SAMPLING DONE BY	Sample drawn by Intertek (Ajay)	REPORTING CODE	AC
OTHER INFORMATION: N/A			
AMPLE TESTED AS RECEIVED			

(Handwritten signature)

ANAKSHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017





ANALYTICAL RESULTS

ANALYSIS REPORT NO. IFS-230329053

Sr. No	Test Parameter	Unit of Measurement	Result	Specification	Limit of Quantification	Method of testing
Biological Parameters						
1.	Total plate count	cfu/gm	7000	-	≥10	IS:5402:2012 (Reaffirmed 2012)
2.	Yeast & mould	cfu/gm	<10	-	≥10	IS:5403:1999 (Reaffirmed 2013)
3.	Coliform	cfu/gm	<10	-	≥10	IS:5401(P-1):2012
4.	Escherichia coli	cfu/gm	<10	-	≥10	IS:5887(P-1):1976 (Reaffirmed 2013)
5.	Salmonella	/25gm	Absent	-	Present/ Absent	IS:5887(P-3):Sec-1:2020
6.	Listeria monocytogenes	/25gm	Absent	-	Present/ Absent	IS:14988(P-1):2020
7.	Clostridium perfringens	cfu/gm	<10	-	≥10	IS:5887(P-4):1999 (Reaffirmed 2013)

Note: The above results pertain only to the sample tested and applicable parameter

*****END OF TEST REPORT*****

Sachin
(Authorized Signatory)
Sachin Tomar
Deputy Section Incharge

[Signature]
ANANDHI KUSHWAHA
Principal
Birla Vidya Niketan
Pushp Vihar - IV
New Delhi-110017

